

# **Safety Data Sheet**

# SECTION 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Catalog Number: VPK-151

Product Name: QuickTiter<sup>TM</sup> HCV Core Antigen ELISA

Recommended Use: Laboratory Research Reagents

MANUFACTURER: EMERGENCY CONTACT:

Cell Biolabs, Inc. +1 858 271 6500 5628 Copley Drive info@cellbiolabs.com

San Diego, CA 92111

## **SECTION 2. HAZARDS IDENTIFICATION**

FITC-Conjugated Anti-HCVcAg Monoclonal Antibody (Part No. 315102): One 20 µL vial

#### **Classification:**

Acute toxicity, Oral, Category 2 (H300)
Acute toxicity, Dermal, Category 1 (H310)
Specific target organ toxicity - repeated exposure, Oral, Category 2 (H373)
Acute aquatic toxicity, Category 1 (H400)
Chronic aquatic toxicity, Category 1 (H410)



Signal Word Danger

**Hazard Statements:** Fatal if swallowed or in contact with skin (H300 + H310), May cause damage to oragns (Brain) through prolonged or repeated exposure if swallowed (H373), Very toxic to aquatic life with long lasting effects (H410),

**Precautionary Statements**: Do not breathe dust/fume/gas/mist/vapors/spray (P260), Do not get in eyes, on skin, or on clothing (P262), Wash skin thoroughly after handling (P264), Do not eat, drink, or smoke when using this product (P270), Avoid release to the environment (P273), Wear protective gloves/protective clothing/eye protection/face protection (P280), IF SWALLOWED: immediately call a POISON CENTER / doctor. Rinse mouth (P301 + P310 + P330), IF ON SKIN: gently wash with plenty of soap and water. Immediately call a POSON CENTER or doctor (P302 + P350 + P310), Get medical advice/attention if you feel unwell (P314), Take off contaminated clothing and wash before reuse (P362), Collect spillage (P391), Store locked up (P405), Dispose of contents/container to an approved waste disposal plant (P501).



Assay Diluent (Part No. 310804): One 50 mL bottle 10X Wash Buffer (Part No. 310806): One 100 mL bottle

#### **Classification:**

Acute toxicity, Oral, Category 2 (H300)
Acute toxicity, Inhalation, Category 2 (H330)
Acute toxicity, Dermal, Category 1 (H310)
Specific target organ toxicity - repeated exposure, Oral, Category 2 (H373)
Acute aquatic toxicity, Category 1 (H400)
Chronic aquatic toxicity, Category 1 (H410)



Signal Word | Danger

**Hazard Statements:** Fatal if swallowed, in contact with skin or if inhaled (H300 + H310 + H330), May cause damage to organs through prolonged exposure (H373), Very toxic to aquatic life with long lasting effects (H410).

**Precautionary Statements**: Do not breathe dust/fume/gas/mist/vapors/spray (P260), Do not get in eyes, on skin, or on clothing (P262), Wash skin thoroughly after handling (P264), Do not eat, drink, or smoke when using this product (P270), Use only outdoors or in a well-ventilated area (P271), Avoid release to the environment (P273), Wear protective gloves/protective clothing/eye protection/face protection (P280), Wear respiratory protection (P284), IF SWALLOWED: immediately call a POISON CENTER / doctor. Rinse mouth (P301 + P310 + P330), IF ON SKIN: gently wash with plenty of soap and water. Immediately call a POSON CENTER or doctor (P302 + P350 + P310), IF INHALED: remove person to fresh air and keep comforable for breathing. Immediately call a POISON CENTER / doctor (P304 + P340 + P310), Get medical advice/attention if you feel unwell (P314), Take off contaminated clothing and wash before reuse (P362), Collect spillage (P391), Store in a well-ventilated place. Keep container tightly closed (P403 + P233), Store locked up (P405), Dispose of contents/container to an approved waste disposal plant (P501).

Triton X-100 Solution (Part No. 310805): One 15 mL bottle containing 5% Triton X-100 in TBS

#### **Classification:**

Acute toxicity, Oral, Category 4 (H302) Eye irritation, Category 2A (H319) Acute aquatic toxicity, Category 2 (H401) Chronic aquatic toxicity, Category 2 (H411)



**Pictogram** 



Warning Signal Word

Hazard Statements: Harmful if swallowed (H302), Causes serious eye irritation (H319), Toxic to aquatic life with long lasting effects (H411).

Precautionary Statements: Wash skin thoroughly after handling (P264), Do not eat, drink, or smoke when using this product (P270), Avoid release to the environment (P273), Wear protective gloves/protective clothing/eye protection/face protection (P280), IF SWALLOWED: call a POISON CENTER if you feel unwell. Rinse mouth (P301 + P312 + P330), IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing (P305 + P351 + P338), If eye irritation persists: get medical advice/attention (P337 + P313), Collect spillage (P391), Dispose of contents/container to an approved waste disposal plant (P501).

Stop Solution (Part No. 310808): One 12 mL bottle

#### **Classification:**

Corrosive to metals, Category 1 (H290) Skin corrosion, Category 1A (H314) Serious eve damage, Category 1 (H318)

**Pictogram** 



**Signal Word** | Danger

Hazard Statements: May be corrosive to metals (H290), Causes severe skin burns and eye damage (H314).

**Precautionary Statements**: Keep only in original container (P234), Wash skin thoroughly after handling (P264), Wear protective gloves/protective clothing/eye protection/face protection (P280), IF SWALLOWED: rinse mouth. Do NOT induce vomiting (P301 + P330 + P331), IF ON SKIN (or hair): take off immediately all contaminated clothing Rinse skin with water/shower (P303 + P361 + P353), IF INHALED: remove person to fresh air and keep comforable for breathing. Immediately call a POISON CENTER / doctor (P304 + P340 + P310), IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER / doctor (P305 + P351 + P338 + P310), Wash contaminated clothing before reuse (P363), Absorb spillage to prevent material damage (P390), Store locked up (P405), Store in corrosive resistant stainless steel container with a resistant inner liner (P406), Dispose of contents/container to an



# approved waste disposal plant (P501).

Recombinant HCVcAg Standard (Part No. 315103): One 100 µL vial

#### **Classification:**

Flammable liquids, Category 4 (H227)

Acute toxicity, Oral, Category 3 (H301)

Acute toxicity, Inhalation, Category 3 (H331)

Acute toxicity, Dermal, Category 2 (H310)

Skin irritation, Category 2 (H315)

Serious eye damage, Category 1 (H318)

Skin sensitization, Category 1 (H317)

Specific target organ toxicity - repeated exposure, Liver/Heart, Category 2 (H373)

Acute aquatic toxicity, Category 1 (H400)

Chronic aquatic toxicity, Category 1 (H410)



# Signal Word

Danger

**Hazard Statements:** Combustible liquid (H227), Toxic if swallowed or if inhaled (H301 + H331), Fatal in contact with skin (H310), Causes skin irritation (H315), May cause an allergic skin reaction (H317), Causes serious eye damage (H318), May cause damage to organs (liver, heart) through prolonged or repeated exposure if swallowed (H373), Very toxic to aquatic life with long lating effects (H410).

**Precautionary Statements**: Keep away from heat/sparks/open flames/hot surfaces - No smoking (P210), Do not breathe dust/fume/gas/mist/vapors/spray (P260), Do not get in eyes, on skin, or on clothing (P262), Wash skin thoroughly after handling (P264), Do not eat, drink, or smoke when using this product (P270), Use only outdoors or in a well-ventilated area (P271), Contaminated work clothing should not be allowed out of the workplace (P272), Avoid release to the environment (P273), Wear protective gloves/protective clothing/eye protection/face protection (P280), IF SWALLOWED: immediately call a POISON CENTER / doctor. Rinse mouth (P301 + P310 + P330), IF ON SKIN: gently wash with plenty of soap and water. Immediately call a POSON CENTER or doctor (P302 + P350 + P310), IF INHALED: remove person to fresh air and keep comforable for breathing. Call a POISON CENTER / doctor (P304 + P340 + P311), IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER / doctor (P305 + P351 + P338 + P310), Get medical advice/attention if you feel unwell (P314), If skin irritation or rash occurs: get medical advice/attention (P333 + P313), Take off contaminated clothing and wash before reuse (P362), In case of fire: use dry sand, dry chemical or alcohol-resistant foam to extinguish (P370 + P378), Collect spillage (P391), Store in a well-ventilated place. Keep container tightly closed (P403 + P233), Store in a well-ventilated place. Keep cool (P403 + P235), Store locked up (P405), Dispose of contents/container to an approved waste disposal plant



(P501).

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

FITC-Conjugated Anti-HCVcAg Monoclonal Antibody (Part No. 315102): One 20 µL vial

CHEMICAL NAME	CONCENTRATION	CAS#
Sodium Azide	0.05%	26628-22-8

Assay Diluent (Part No. 310804): One 50 mL bottle 10X Wash Buffer (Part No. 310806): One 100 mL bottle

CHEMICAL NAME	CONCENTRATION	CAS#
Thimerosal	0.02%	54-64-8

Triton X-100 Solution (Part No. 310805): One 15 mL bottle containing 5% Triton X-100 in TBS

CHEMICAL NAME	CONCENTRATION	CAS#
Triton X-100	5%	9002-93-1

Stop Solution (Part No. 310808): One 12 mL bottle

CHEMICAL NAME	CONCENTRATION	CAS#
Sulfuric Acid	0.5 N	7664-93-9

Recombinant HCVcAg Standard (Part No. 315103): One 100 µL vial

CHEMICAL NAME	CONCENTRATION	CAS#
ß-Mercaptoethanol	10 mM	60-24-2

#### **SECTION 4. FIRST-AID MEASURES**

- IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.
- IN CASE OF SKIN CONTACT, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND SHOES. CALL A PHYSICIAN.
- IN CASE OF CONTACT WITH EYES, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. ASSURE ADEQUATE FLUSHING BY SEPARATING THE EYELIDS WITH FINGERS. CALL A PHYSICIAN.



#### **SECTION 5. FIRE-FIGHTING MEASURES**

- Suitable extinguishing media: Water spray, alcohol-resistant foam, dry chemical or CO2
- Special protective equipment: Self-contained breathing apparatus

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Evacuate area
- Wear self-contained breathing apparatus, rubber boots and heavy rubber gloves.
- Absorb with sand or vermiculite, sweep up, place in a bag and hold for waste disposal.
- Avoid raising dust.
- Ventilate area and wash spill site after material pickup is complete.

## SECTION 7. SAFETY HANDLING AND STORAGE

- Should be handled by trained personnel observing good laboratory practices.
- Avoid breathing vapor.
- Avoid skin contact or swallowing.
- May cause allergic reaction in sensitized individuals.
- Store in properly labeled containers at temperature on label

#### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- Engineering measures: Handle in accordance with good industrial hygiene and safety practices. Wash hands immediately after handling the product.
- Personal protective equipment: Face shield or safety glasses, gloves, protective clothing, suitable respiratory equipment in cases of inadequate ventilation.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Form: liquid
- Odor: no data available
- pH: no data available
- Boiling point / range: no data available
- Melting point / range: no data available
- Flash point: no data available
- Evaporation rate: no data available
- Vapor pressure: no data available
- Vapor density: no data available
- Relative density: no data available
- Water solubility: no data available
- Autoignition temperature: no data available
- Decomposition temperature: no data available
- Viscosity: no data available
- Explosive properties: no data available
- Oxidizing properties: no data available



#### **SECTION 10. STABILITY AND REACTIVITY**

- Stability: no data available
- Reactivity: no data available
- Conditions to avoid: no data available
- Incompatible materials: no data available
- Decomposition products: no data available

# SECTION 11. TOXICOLOGICAL INFORMATION

- Acute toxicity
  - Sodium Azide: no data available
  - o Thimerosal: LD50 Oral 75 mg/kg (rat); LD50 Subcutaneous 98 mg/kg (rat)
  - o Triton X-100: LD50 oral 1.800 mg/kg (rat), LD50 dermal 8.000 mg/kg (rabbit)
  - o Sulfuric Acid: LD50 Oral 2.140 mg/kg (rat); LC50 Inhalation 2 hr, 510 mg/m<sup>3</sup> (rat)
  - β-Mercaptoethanol: LD50 Oral 98-162 mg/kg (rat); LC50 Inhalation 2 mg/l (rat); LC50 Inhalation 625 ppm (rat); LD50 Dermal 112-224 mg/kg (rabbit)
- Skin corrosion/irritation
  - o Sulfuric Acid: Extremely corrosive and destructive to tissue (rabbit)
  - β-Mercaptoethanol: Irritating to skin-Draize Test (rabbit)
  - o All other hazardous components: no data available
- Serious eye damage/irritation
  - Sodium Azide: no data available
  - o Thimerosal: Mild eye irritation (rabbit)
  - o Triton X-100: Moderate eye irritation-24 h (rabbit)
  - Sulfuric Acid: Severe eye irritiation (rabbit)
  - β-Mercaptoethanol: Risk of serious damage to eyes (rabbit)
- Respiratory or skin sensitization
  - O Thimerosal: prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals
  - β-Mercaptoethanol: Maximisation Test-guinea pig-OECD Test Guideline 406-May cause sensitization by skin contact
  - All other hazardous components: no data available
- Germ cell mutagenicity: no data available
- Carcinogenicity: no data available
- Reproductive toxicity: no data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

- Ecotoxicity
  - o Sodium Azide: no data available, harmful to aquatic life with long lasting effects
  - o Thimerosal: no data available
  - Triton X-100: Toxicity to Daphnia and other aquatic invertebrates- EC50 26 mg/L-48h (Daphnia)
  - Sulfuric Acid: LC50 42 mg/L in 96 hrs (mosquito fish); mortality NOEC 19.5 mg/L in 96 hrs (rainbow trout); mortality LOEC 4.6 mg/L in 8 days (fathead minnow); growth inhibition LOEC 2.68 mg/L in 6 days (algae)



- β-Mercaptoethanol: Toxicity to fish: LC50 46-100 mg/l (Golden orfe); Toxicity to Daphnia and other aquatic invertebrates: EC50 1,52 mg/l (Daphnia), EC50 0,89 method: OECD Test Guideline 202 (Daphnia); Toxicity to algae: EC50 12 mg/l (green algae); Toxicity to bacteria: LC50 125 mg/l
- Mobility: no data available
- Biodegradation
  - o Triton X-100: not readily biodegradable
  - o \( \beta\)-Mercaptoethanol: not readily biodegradable
  - o All other hazardous components: no data available
- Bioaccumulation: no data available

# **SECTION 13. DISPOSAL CONSIDERATIONS**

For small quantities: Cautiously add to a large stirred excess of water. Adjust the pH to neutral. Flush the aqueous solutions down the drain with plenty of water.

# **SECTION 14. TRANSPORT INFORMATION - IATA**

• Hazard Class: 8

Subsidiary Class: none

• Packing Group: II

• UN-No: 2796

NOTE: THIS PRODUCT IS SHIPPED AS "DANGEROUS GOODS IN EXCEPTED QUANTITIES" UNDER IATA REGULATION 2.6.2.2.

#### SECTION 15. REGULATORY INFORMATION

- Safety, health and environmental regulations/legislation specific for the substance or mixture: no data available
- Chemical safety assessment: no data available

# **SECTION 16. OTHER INFORMATION**

The above information is believed to be correct but does not purport to be all inclusive and should be used only as a guide for experienced personnel. Cell Biolabs, Inc. shall not be held liable for any damage resulting from the handling or from contact with the above product(s).

Revised 08/06/2024